Washington Behavioral Risk Factor Surveillance System 2004 Tobacco Survey Results

Benton County

What is your age?	n	= 199
18 - 34 35 - 54 55 - 74 75+	30.7% 43.7 20.4 5.1	(± 7.7%) (± 8.1) (± 6.7) (± 2.9)
Gender	n	= 199
Male Female	55.1% 44.9	(± 7.9%) (± 7.9)
Which one of these groups would you say best represents your race	n	= 198
White Black or African American Asian Native Hawaiian or Other Pacific Islander American Indian, Alaska Native Other race No preferred race	88.4% 0.4 3.5 0.0 0.3 7.3 0.2	(± 5.7%) (± 0.5) (± 3.4) (± 0.0) (± 0.5) (± 4.8) (± 0.4)
Are you Hispanic or Latino/Latina?	n	= 199
Yes No	12.2% 87.8	(± 5.9%) (± 5.9)
Marital status	n	= 199
Married Divorced Widowed Separated Never been married Or a member of an unmarried couple	69.2% 10.0 5.1 2.7 10.6 2.4	(± 7.6%) (± 4.1) (± 2.5) (± 4.8) (± 5.2) (± 2.1)
How many children less than 18 years of age live in your household?	n	= 199
None 1 2 3 or more	48.1% 17.1 22.1 12.8	(± 8.1%) (± 6.5) (± 7.0) (± 5.3)
What is the highest grade or year of school you completed?	n	= 199
Some high school or less High school graduate or GED Some college or technical school College graduate or more *Estimates based on sample sizes less than 50 were omitted.	11.8% 29.0 24.5 34.7	(± 5.6%) (± 7.9) (± 6.5) (± 7.6)
0 4 4 0 000		Benton

Created on 8/29/2005

Page 1 of 10

Are you currently		n = 198
Employed for wages	54.9%	(± 8.2%)
Self-employed Out of work	9.8 4.8	(± 4.7) (± 3.2)
Homemaker	8.8	(± 3.6)
Student	3.9	(± 3.4)
Retired	11.2	,
Or unable to work	6.6	(± 5.7)
Annual household income from all sources		n = 166
Less than \$20,000	14.7%	(/
\$20,000 to less than \$50,000	37.2	,
\$50,000 or more	48.2	(± 9.0)
Have you smoked at least 100 cigarettes in your entire life?		n = 343
Yes	49.4%	(/
No	50.6	(± 6.2)
Among those that have smoked at least 100 cigarettes in their entire life:		
Do you now smoke cigarettes everyday, some days, or not at all?		n = 168
Everyday	31.2%	,
Some days	20.5	,
Not at all	48.3	(± 9.0)
Among current smokers: During the past 12 months, have you stopped smoking for 1 day or longer because	:	n = 80
you were trying to quit smoking?		
Yes	55.5%	(± 13.5%)
No	44.5	(± 13.5)
Current cigarette smoking prevalence:		n = 343
(every day or some day smokers among the whole population)	25.5%	(± 5.8%)
Among those that have smoked at least 100 cigarettes:		
Did you smoke any cigarettes during the past 30 days?		n = 86
Yes	62.2%	(± 12.0%)
No	37.8	(± 12.0)
Among those that have smoked in the past 30 days:		
On how many days of the past 30 days did you smoke cigarettes?		n = 49
Less than 30 days	*	*
30 days	*	*
Among those that have smoked in the past 30 days:		
On average, about how many cigarettes per day do you smoke, on the days that you do smoke?		n = 50
Average:	12.4	(± 3.0)
		(= 0.0)

Benton Page 2 of 10

*Estimates based on sample sizes less than 50 were omitted.

Created on 8/29/2005

Have you ever tried using smokeless tobacco, like chew, dip or snuff?		n = 190
Yes No	20.9% 79.1	(± 7.7%) (± 7.7)
Among those that have ever tried smokeless tobacco:		
On how many of the past 30 days did you use smokeless tobacco products?		n = 31
None	*	*
Less than 30 days 30 days	*	*
Current smokeless tobacco prevalence:		n = 190
(any use in past 30 days among the whole population)	7.9%	(± 6.4%)
In the past month, have you smoked a cigar, even just a puff?		n = 191
Yes No	3.5% 96.5	(± 2.6%) (± 2.6)
Current tobacco use (all types of tobacco)		n = 191
Current daily tobacco user Current non-tobacco user	32.3% 67.7	,
Among former smokers: About how long has it been since you last smoked cigarettes regularly, that is, daily?		n = 36
Within the past month (less than 1 month ago)	*	*
Within the past 3 months (1-3 months ago)	*	*
Within the past 6 months (3-6 months ago)	*	*
Within the past year (6-12 months ago) Within the past 5 years (1-5 years ago)	*	*
Within the past 15 years (5-15 years ago)	*	*
More than 15 years ago	*	*
Never used regularly	*	*
Among former smokers: When you last smoked cigarettes regularly, on average, how many days per month did you smoke?	ı	n = 37
Average:	*	*
Among former smokers: When you last smoked cigarettes regularly, on average, how many cigarettes did you smoke per day?		n = 37
Average:	*	*

Benton
Created on 8/29/2005
Page 3 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among never smokers less than 30 years old: Do you think that you will smoke a cigarette anytime during the next year?		n	= 9
Definitely yes	*	•	*
Probably yes	*		*
Probably no	*		*
Definitely no	*		*
Among never smokers less than 30 years old: If you of your best friends offered you a cigarette, would you smoke it?		n =	= 10
Definitely yes	*		*
Probably yes	*		*
Probably no	*		*
Definitely no	*		*
Among current tobacco users:			
About how much do you usually spend on tobacco products every week?		n =	= 49
Less than \$25	*		*
At least \$25 but less than \$55	*		*
More than \$55	*		*
Amount outwork to be a consumer			
Among current tobacco users: In the past month, did you buy tobacco on a Native American reservation?		n -	= 54
	4.007	11 -	_
Yes	4.0%		(± 5.9%)
No	96.0		(± 5.9)
Among current tobacco users:			
In the past month, did you buy tobacco from the Internet?		n =	= 55
Yes	11.9%		(± 15.4%)
No	88.1		(± 15.4)
Among current tobacco users:		_	EE
During the past month, did you buy tobacco outside the state to save money - not just because you were traveling?		11 =	= 55
	4.00/		(5.00()
Yes No	4.6% 95.4		(± 5.8%) (± 5.8)
NO	33.4		(± 3.0)
Among current/former tobacco users:			
People close to me are/were upset by my using tobacco.		n =	= 85
Strongly agree	40.0%		(± 12.6%)
Somewhat agree	19.7		(± 9.3)
Somewhat disagree	26.9		(± 10.6)
Strongly disagree	13.4		(± 11.7)

Benton
Created on 8/29/2005
Page 4 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among current/former tobacco users: When was the last time a DOCTOR or other healthcare provider advised you to quit, if ever?	n	= 87
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	31.6% 10.0 19.9 38.5	(± 12.9%) (± 6.7) (± 9.3) (± 12.2)
Among current/former tobacco users: When was the last time a DENTIST advised you to quit, if ever?	n	= 87
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	9.9% 1.2 8.2 80.7	(± 7.5%) (± 2.3) (± 6.0) (± 9.5)
Among current/former tobacco users: When was the last time a PHARMACIST advised you to quit, if ever?	n	= 87
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	0.0% 1.3 3.6 95.1	(± 0.0%) (± 2.6) (± 4.3) (± 5.0)
Among those advised to quit:		
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?	n	= 58
Did the health care professional who advised to quit offer any help, or refer you to	31.0% 69.0	= 58 (± 14.1%) (± 14.1)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes	31.0% 69.0	(± 14.1%)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is	31.0% 69.0	(± 14.1%) (± 14.1)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is it coverage through Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service	31.0% 69.0 n 48.6% 22.4 5.9 14.9 7.5 0.6 0.0	(± 14.1%) (± 14.1) = 157 (± 9.2%) (± 7.3) (± 4.2) (± 5.3) (± 7.0) (± 1.2) (± 0.0)

*Estimates based on sample sizes less than 50 were omitted.

Benton
Created on 8/29/2005
Page 5 of 10

Among current and recent former smokers: Within the past year, did your employer offer any stop-smoking class or other programs to help employees quit using tobacco? Yes No	*	n = 2	
Among current and recent former smokers with health care coverage: Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?		n = 4	12
Yes No Don't know/Not sure	* * *	*	
Among current and recent former smokers: Have you heard about the Washington State "Quit-Line" - a telephone support service to help people quit using tobacco?		n = 5	52
Yes No	53.7% 46.3		± 16.9%) ± 16.9)
Among current and recent former smokers who have heard of the "Quit-Line": Would you ever call a telephone support service for help in quitting tobacco?		n = 4	16
Definitely Yes Probably Yes Probably No Definitely No	* * *	* * *	
Among current and recent former smokers who have heard of the "Quit-Line": Have you called the Quit line?		n = 2	28
Yes No	*	*	
Among current tobacco users: Would you like to quit using tobacco? Yes No	65.1% 34.9	,	53 ± 17.2%) ± 17.2)
Among current tobacco users who would like to quit: Are you seriously considering quitting tobacco use within the next 6 months?		n = 3	33
Yes No	*	*	
Among current tobacco users considering quitting within 6 months: Are you planning to stop within the next 30 days?		n = 3	34
Yes No Don't know/Not sure	* *	*	

*Estimates based on sample sizes less than 50 were omitted.

Benton
Created on 8/29/2005
Page 6 of 10

Are you currently registered to vote?	n =	= 189	
Yes No	82.4% 17.6	(± 6.6%) (± 6.6)	
Which of the following statements best describes the rules about smoking in your home	n =	= 190	
No one is allowed to smoke anywhere inside your home Smoking is allowed at some places or at some times Smoking is permitted anywhere inside your home	80.5% 10.9 8.6	(± 7.2%) (± 6.3) (± 4.3)	
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	n =	= 190	
No current smokers in household 1 2 3 or more	65.0% 19.3 11.6 4.1	(± 8.3%) (± 6.0) (± 5.7) (± 5.5)	
On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?	n =	n = 191	
None Less than 30 30 days	81.9% 5.8 12.3	(± 7.1%) (± 3.1) (± 6.7)	
If it were just up to you, would you let people smoke inside your home?	n =	= 190	
If it were just up to you, would you let people smoke inside your home? Yes No	n = 10.5% 89.5	= 190 (± 4.5%) (± 4.5)	
Yes	10.5% 89.5	(± 4.5%)	
Yes No Among people who are currently employed for wages:	10.5% 89.5	(± 4.5%) (± 4.5)	
Yes No Among people who are currently employed for wages: When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital	10.5% 89.5 n = 45.3% 2.4 4.5 12.0 9.7 11.6 2.0 4.0 5.7 2.7	(± 4.5%) (± 4.5) = 110 (± 10.5%) (± 2.9) (± 3.7) (± 7.7) (± 6.4) (± 8.1) (± 2.9) (± 3.1) (± 4.8)	

Created on 8/29/2005

Benton
Page 7 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace Employee lunchrooms or lounges?	n	= 99
Yes No	5.5% 94.5	(± 5.4%) (± 5.4)
Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace A different designated indoor smoking area?	n :	= 100
Yes No	7.5% 92.5	(± 6.1%) (± 6.1)
Among people who are currently employed for wages: In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are at work?	n :	= 108
None Less than one hour One hour or more	80.0% 7.7 12.3	(± 8.7%) (± 5.7) (± 7.2)
In general, would you say that breathing secondhand smoke is	n :	= 188
Not at all annoying to you A little bit annoying Somewhat annoying Very annoying to you	8.5% 12.2 22.0 57.3	(± 4.4%) (± 5.4) (± 6.5) (± 8.1)
Would you say that breathing secondhand smoke is	n :	= 181
Not at all harmful A little bit harmful Somewhat harmful Very harmful	0.8% 11.2 23.7 64.4	(± 1.1%) (± 5.8) (± 7.1) (± 8.2)
All children should be protected from secondhand smoke.	n :	= 183
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	81.6% 13.0 1.9 3.5	(± 6.9%) (± 6.1) (± 2.3) (± 3.1)
Do you think that smoking should not be allowed at all in restaurants?	n :	= 189
Yes No Don't know/Not sure	67.3% 27.2 5.5	(± 8.4%) (± 8.1) (± 4.3)
Do you think that smoking should not be allowed in bars and lounges?	n :	= 186
Yes No Don't know/Not sure	30.2% 58.7 11.0	(± 7.4%) (± 8.1) (± 4.8)

*Estimates based on sample sizes less than 50 were omitted.

Benton
Created on 8/29/2005
Page 8 of 10

Do you think that smoking should not be allowed in outdoor public areas where children may be present?	r	n = 189
Yes	52.5%	(± 8.4%)
No	42.6	(± 8.3)
Don't know/Not sure	5.0	(± 3.4)
Local law enforcement officials should place a high priority on enforcing laws that	r	า = 184
ban the possession of tobacco products by minors.		
Strongly agree	56.8%	(± 8.5%)
Somewhat agree	22.1	(± 7.3)
Somewhat disagree	13.3	(± 5.6)
Strongly disagree	7.8	(± 6.0)
The city or town where you live should establish as many strong rules and laws as possible to protect nonsmokers, including children, from secondhand smoke.	r	n = 186
Strongly agree	43.4%	(± 8.2%)
Somewhat agree	35.4	(± 8.5)
Somewhat disagree	10.5	(± 5.4)
Strongly disagree	10.7	(± 4.9)
School officials should make sure that all children receive anti-tobacco education.	r	า = 190
Strongly agree	78.5%	(± 7.6%)
Somewhat agree	16.2	(± 7.3)
Somewhat disagree	4.2	(± 3.3)
Strongly disagree	1.0	(± 1.3)
Tobacco use by adults should not be allowed on school grounds or at any school events.	r	า = 191
Strongly agree	83.4%	(± 6.2%)
Somewhat agree	12.4	(± 5.7)
Somewhat disagree	2.7	(± 2.5)
Strongly disagree	1.4	(± 1.5)
Have you seen or heard about any efforts or activities in your community or in schools to prevent or reduce tobacco use among youth?	r	n = 185
Yes	53.3%	(± 8.5%)
No	46.7	(± 8.5)
There are so many things that cause cancer, tobacco use is not going to make any difference.	r	n = 187
Strongly agree	8.4%	(± 4.4%)
Somewhat agree	7.5	(± 5.2)
Somewhat disagree	12.2	(± 5.3)
Strongly disagree	71.9	(± 7.7)
	=	` -,

Benton
Created on 8/29/2005
Page 9 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Would you ever use or wear something that has a tobacco company logo or picture on it?	n	= 186
Yes No	18.3% 81.7	(± 7.5%) (± 7.5)
Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?	n	= 187
Yes No	8.6% 91.4	(± 4.8%) (± 4.8)
During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?	n	= 187
Yes No	17.7% 82.3	(± 7.4%) (± 7.4)
During the past year have you been somewhere, such as concert or special event, where tobacco companies were having a promotion - for example, giving away free samples or having a special give-away?	n	= 189
Yes No	5.7% 94.3	(± 3.8%) (± 3.8)
Tobacco companies should have the same rights to advertise their products as other companies.	n	= 185
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	21.8% 25.1 13.8 39.4	(± 7.5%) (± 6.9) (± 6.1) (± 8.1)
Among people with children ages 12 to 17: Have you told your child specifically that you do not want him or her to use tobacco?	n	= 39
Yes No	*	*

Benton
Created on 8/29/2005
Page 10 of 10